

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025  
Print date: 28 Nov 2025  
Version: 2

Page 1/16

VELO Blueberry Ice Original [•••] Slim

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

VELO Blueberry Ice Original [•••] Slim

Other means of identification:

VELO/LYFT Blueberry Ice Original 8mg Slim  
LYFT Blueberry Ice Original [•••] Slim  
VELO/LYFT Blueberry Ice Strong 8mg Slim  
VELO/LYFT Blueberry Ice Strong [•••] Slim  
VELO z aromatem: Blueberry Ice 8mg  
Velo Blueberry Ice 8mg  
Velo Blueberry Ice 8mg/pouch  
VELO Blueberry Ice 8 mg Slim  
VELO Blueberry Ice Original [•••] 8mg Slim  
VELO Blueberry Ice Original [•••] Slim 8 mg  
VELO/LYFT Blueberry Ice Original [•••] Slim  
VELO/LYFT Blueberry Ice [•••] 8 mg

PTN01702 - B2

UFI:

JPMK-8PJ6-05J1-30NF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

The product is intended for consumer use.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

BAT Pécsi Dohánygyár Kft.  
Francia utca 2  
7630 Pécs  
Hungary  
Telephone: +36 72 504 100  
E-mail: sds-eliquire@bat.com

Manufacturer:

BAT Trieste S.p.A.  
SAN DORLIGO DELLA VALLE DOLINA (TS)  
LOCAL. BAGNOLI DELLA ROSANDRA SNC CAP 34018  
Italy  
E-mail: sds-eliquire@bat.com

1.4. Emergency telephone number

Toxikologické informační středisko,  
Klinika pracovního lékařství VFN a 1. LF UK ;  
Na Bojišti 1,  
120 00 Praha 2, 24h: +44 20 3885 0382 ; +420 224 919 293, +420 224 915 402, a jen při poruše tel.  
+420 725 103 658 ; Carechem 24 International: +420 228 882 830

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements           | Classification procedure |
|--------------------------------------|-----------------------------|--------------------------|
| Acute toxicity (oral) (Acute Tox. 4) | H302: Harmful if swallowed. | Calculation method.      |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025  
Print date: 28 Nov 2025  
Version: 2

Page 2/16

VELO Blueberry Ice Original [•••] Slim

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:  
nicotine

| Hazard statements for health hazards |                                                                                 |
|--------------------------------------|---------------------------------------------------------------------------------|
| H302                                 | Harmful if swallowed.                                                           |
| Supplemental hazard information      |                                                                                 |
| EUH208                               | Contains benzyl alcohol. May produce an allergic reaction.                      |
| Precautionary statements             |                                                                                 |
| P101                                 | If medical advice is needed, have product container or label at hand.           |
| P102                                 | Keep out of reach of children.                                                  |
| Precautionary statements Prevention  |                                                                                 |
| P264                                 | Wash hands thoroughly after handling.                                           |
| P270                                 | Do not eat, drink or smoke when using this product.                             |
| Precautionary statements Response    |                                                                                 |
| P301 + P312                          | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.                   |
| Precautionary statements Disposal    |                                                                                 |
| P501                                 | Dispose of contents in accordance with local, regional or national regulations. |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers                                                                                     | Substance name<br>Classification according to Regulation (EC) No 1272/2008 [CLP]                                                                                                                                                            | Concentration              |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| CAS No.: 54-11-5<br>EC No.: 200-193-3<br>Index No.: 614-001-00-4<br>REACH No.:<br>01-2120066934-47-0000 | <b>nicotine</b><br>Acute Tox. 2 (H330, H310, H300), Aquatic Chronic 2 (H411)<br>Danger<br><b>Acute Toxicity Estimate</b><br>ATE (oral) 5 mg/kg<br>ATE (dermal) 70 mg/kg<br>ATE (inhalation, dust/mist) 0.19 mg/L                            | 0 - < 1.21<br>weight-%     |
| CAS No.: 100-51-6<br>EC No.: 202-859-9<br>REACH No.:<br>01-2119492630-38-0000                           | <b>benzyl alcohol</b><br>Acute Tox. 4 (H302, H332), Eye Irrit. 2 (H319), Skin Sens. 1B (H317)<br>Warning<br><b>Acute Toxicity Estimate</b><br>ATE (oral) 1,200 mg/kg<br>ATE (dermal) > 2,000 mg/kg<br>ATE (inhalation, dust/mist) 4.18 mg/L | 0 - ≤ 0.220019<br>weight-% |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 3/16

## VELO Blueberry Ice Original [•••] Slim

| Product identifiers                                                                                      | Substance name<br>Classification according to Regulation (EC) No 1272/2008 [CLP]                                                                                                                                                                                                                                    | Concentration              |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| CAS No.: 141-78-6<br>EC No.: 205-500-4<br>REACH No.:<br>01-2119475103-46-0000                            | <b>ethyl acetate</b><br>Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336)<br> Danger<br><b>Acute Toxicity Estimate</b><br>ATE (oral) = 5,620 mg/kg<br>ATE (dermal) > 18,000 mg/kg<br>ATE (inhalation, vapour) > 22.5 mg/L | 0 - ≤ 0.022002<br>weight-% |
| CAS No.: 123-86-4<br>EC No.: 204-658-1<br>Index No.: 607-025-00-1<br>REACH No.:<br>01-2119485493-29-0000 | <b>n-butyl acetate</b><br>Flam. Liq. 3 (H226), STOT SE 3 (H336)<br> Warning EUH066                                                                                                                                                 | 0 - ≤ 0.0044<br>weight-%   |
| CAS No.: 123-92-2<br>EC No.: 204-662-3<br>REACH No.:<br>01-2119548408-32-0000                            | <b>isopentyl acetate</b><br>Flam. Liq. 3 (H226)<br> Warning<br><b>Acute Toxicity Estimate</b><br>ATE (oral) = 16,600 mg/kg<br>ATE (dermal) > 5,000 mg/kg                                                                           | 0 - ≤ 0.0044<br>weight-%   |

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air.

#### In case of skin contact:

Take off immediately all contaminated clothing.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell.

#### Self-protection of the first aider:

Wear personal protection equipment (refer to section 8). No direct artificial respiration to be given by first aider.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

If exposed to large quantities of the product, acute nicotine poisoning might occur causing symptoms such as nausea, excess salivation, abdominal pain, diarrhoea, sweating, headache, dizziness, disturbed hearing and weakness. In extreme cases, these symptoms may be followed by depression of the central nervous system, including confusion, hypotension, rapid or weak or irregular pulse, breathing difficulties, prostration, circulatory collapse and terminal convulsions.

### 4.3. Indication of any immediate medical attention and special treatment needed

ONLY FOR MEDICAL PERSONNEL: In case of severe nicotine poisoning, if airway is secured, administration of activated charcoal should be considered. Do NOT administer antacids; alkaline conditions improve the absorption of nicotine. Monitor breathing patterns and maintain circulation. Cholinergic symptoms may be treated with atropine.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 4/16

## VELO Blueberry Ice Original [•••] Slim

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:**

Dry extinguishing powder, alcohol resistant foam, Water spray jet

**Unsuitable extinguishing media:**

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products:**

In case of fire: Gases/vapours, toxic

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Do not enter storage, handling and production areas if unauthorized.

**Emergency procedures:**

Do not walk on the spillage and avoid any kind of contact. Ventilate affected area if safe to do so.

Evacuate the danger area immediately and follow the emergency procedures of your workplace.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

**For containment:**

Collect spillage. Measures to prevent aerosol and dust generation: Wet clean or vacuum up solids.

**For cleaning up:**

Water (with cleaning agent)

**Other information:**

Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

It is recommended to design all work processes always so that the following is excluded: Strong acid, Highly oxidising substances. Wear personal protection equipment (refer to section 8). Do not breathe dust.

**Fire prevent measures:**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. To avoid the risk of fire, do not allow this product to dry out.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025

Print date: 28 Nov 2025

Version: 2

Page 5/16

## VELO Blueberry Ice Original [•••] Slim

### Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection:  
High efficiency particulate air filter (HEPA filter)

### Advices on general occupational hygiene

Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

#### Hints on storage assembly:

Keep away from: Strong acid, Highly oxidising substances

**Storage class (TRGS 510, Germany):** 10 - 13 - Other combustible and non-combustible substances

### 7.3. Specific end use(s)

#### Recommendation:

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

| Limit value type<br>(country of<br>origin) | Substance name                                                     | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|--------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CZ<br>from 1 Jan 2024                      | <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | ① 0.07 ppm (0.5 mg/m <sup>3</sup> )<br>② 0.37 ppm (2.5 mg/m <sup>3</sup> )<br>⑤ (může pronikat pokožkou) D                                                                     |
| IOELV (EU)                                 | <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | ① 0.5 mg/m <sup>3</sup><br>⑤ (May be absorbed through the skin. )                                                                                                              |
| CZ<br>from 1 Jan 2024                      | <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | ① 9 ppm (40 mg/m <sup>3</sup> )<br>② 18 ppm (80 mg/m <sup>3</sup> )                                                                                                            |
| CZ<br>from 1 Mar 2020                      | <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | ① 191.1 ppm (700 mg/m <sup>3</sup> )<br>② 245.7 ppm (900 mg/m <sup>3</sup> )<br>⑤ I                                                                                            |
| IOELV (EU)<br>from 21 Feb 2017             | <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | ① 200 ppm (734 mg/m <sup>3</sup> )<br>② 400 ppm (1,468 mg/m <sup>3</sup> )                                                                                                     |
| IOELV (EU)<br>from 20 Nov 2019             | <b>n-butyl acetate</b><br>CAS No.: 123-86-4<br>EC No.: 204-658-1   | ① 50 ppm (241 mg/m <sup>3</sup> )<br>② 150 ppm (723 mg/m <sup>3</sup> )                                                                                                        |
| CZ<br>from 1 Jan 2024                      | <b>n-butyl acetate</b><br>CAS No.: 123-86-4<br>EC No.: 204-658-1   | ① 50 ppm (241 mg/m <sup>3</sup> )<br>② 150 ppm (723 mg/m <sup>3</sup> )                                                                                                        |
| CZ<br>from 1 Jan 2024                      | <b>isopentyl acetate</b><br>CAS No.: 123-92-2<br>EC No.: 204-662-3 | ① 50 ppm (270 mg/m <sup>3</sup> )<br>② 100 ppm (540 mg/m <sup>3</sup> )                                                                                                        |
| IOELV (EU)                                 | <b>isopentyl acetate</b><br>CAS No.: 123-92-2<br>EC No.: 204-662-3 | ① 50 ppm (270 mg/m <sup>3</sup> )<br>② 100 ppm (540 mg/m <sup>3</sup> )                                                                                                        |

#### 8.1.2. Biological limit values

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 6/16

## VELO Blueberry Ice Original [•••] Slim

### 8.1.3. DNEL-/PNEC-values

| Substance name                                                     | DNEL value               | ① DNEL type<br>② Exposure route                               |
|--------------------------------------------------------------------|--------------------------|---------------------------------------------------------------|
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.0313 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term - inhalation, systemic effects   |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 8.6 mg/m <sup>3</sup>    | ① DNEL worker<br>② Acute - inhalation, systemic effects       |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.00443 mg/<br>kg bw/day | ① DNEL worker<br>② Long-term - dermal, systemic effects       |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.84 mg/kg<br>bw/day     | ① DNEL worker<br>② Acute - dermal, systemic effects           |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.2 mg/cm <sup>2</sup>   | ① DNEL worker<br>② Acute - dermal, local effects              |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 22 mg/m <sup>3</sup>     | ① DNEL worker<br>② Long-term - inhalation, systemic effects   |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 5.4 mg/m <sup>3</sup>    | ① DNEL Consumer<br>② Long-term - inhalation, systemic effects |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 110 mg/m <sup>3</sup>    | ① DNEL worker<br>② Acute - inhalation, systemic effects       |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 27 mg/m <sup>3</sup>     | ① DNEL Consumer<br>② Acute - inhalation, systemic effects     |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 8 mg/kg bw/<br>day       | ① DNEL worker<br>② Long-term - dermal, systemic effects       |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 40 mg/kg bw/<br>day      | ① DNEL worker<br>② Acute - dermal, systemic effects           |
| <b>ethyl butyrate</b><br>CAS No.: 105-54-4<br>EC No.: 203-306-4    | 49.3 mg/m <sup>3</sup>   | ① DNEL worker<br>② Long-term - inhalation, systemic effects   |
| <b>ethyl butyrate</b><br>CAS No.: 105-54-4<br>EC No.: 203-306-4    | 2.33 mg/kg<br>bw/day     | ① DNEL worker<br>② Long-term - dermal, systemic effects       |
| <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | 734 mg/m <sup>3</sup>    | ① DNEL worker<br>② Long-term - inhalation, systemic effects   |
| <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | 1,468 mg/m <sup>3</sup>  | ① DNEL worker<br>② Acute - inhalation, systemic effects       |
| <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | 734 mg/m <sup>3</sup>    | ① DNEL worker<br>② Long-term - inhalation, local effects      |
| <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | 1,468 mg/m <sup>3</sup>  | ① DNEL worker<br>② Acute - inhalation, local effects          |
| <b>ethyl acetate</b><br>CAS No.: 141-78-6<br>EC No.: 205-500-4     | 63 mg/kg bw/<br>day      | ① DNEL worker<br>② Acute - dermal, systemic effects           |
| <b>cis-hex-3-en-1-ol</b><br>CAS No.: 928-96-1<br>EC No.: 213-192-8 | 11.75 mg/m <sup>3</sup>  | ① DNEL worker<br>② Long-term - inhalation, systemic effects   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 7/16

## VELO Blueberry Ice Original [•••] Slim

| Substance name                                                         | DNEL value              | ① DNEL type<br>② Exposure route                             |
|------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------|
| <b>cis-hex-3-en-1-ol</b><br>CAS No.: 928-96-1<br>EC No.: 213-192-8     | 3.33 mg/kg<br>bw/day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4   | 19 mg/m <sup>3</sup>    | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4   | 5.38 mg/kg<br>bw/day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4          | 9.8 mg/m <sup>3</sup>   | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4          | 9.8 mg/m <sup>3</sup>   | ① DNEL worker<br>② Long-term - inhalation, local effects    |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4          | 1.14 mg/kg<br>bw/day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1              | 161.6 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1              | 12.5 mg/kg<br>bw/day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1              | 11.8 mg/cm <sup>2</sup> | ① DNEL worker<br>② Long-term - dermal, local effects        |
| <b>geranyl acetate</b><br>CAS No.: 105-87-3<br>EC No.: 203-341-5       | 62.59 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>geranyl acetate</b><br>CAS No.: 105-87-3<br>EC No.: 203-341-5       | 35.5 mg/kg<br>bw/day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5 | 19.7 mg/m <sup>3</sup>  | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5 | 5.6 mg/kg bw/<br>day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>citral</b><br>CAS No.: 5392-40-5<br>EC No.: 226-394-6               | 9 mg/m <sup>3</sup>     | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>citral</b><br>CAS No.: 5392-40-5<br>EC No.: 226-394-6               | 1.7 mg/kg bw/<br>day    | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>citral</b><br>CAS No.: 5392-40-5<br>EC No.: 226-394-6               | 0.14 mg/cm <sup>2</sup> | ① DNEL worker<br>② Long-term - dermal, local effects        |
| <b>methyl cinnamate</b><br>CAS No.: 103-26-4<br>EC No.: 203-093-8      | 28.2 mg/m <sup>3</sup>  | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>methyl cinnamate</b><br>CAS No.: 103-26-4<br>EC No.: 203-093-8      | 4 mg/kg bw/<br>day      | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>eugenol</b><br>CAS No.: 97-53-0<br>EC No.: 202-589-1                | 21.2 mg/m <sup>3</sup>  | ① DNEL worker<br>② Long-term - inhalation, systemic effects |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 8/16

## VELO Blueberry Ice Original [•••] Slim

| Substance name                                          | DNEL value         | ① DNEL type<br>② Exposure route                         |
|---------------------------------------------------------|--------------------|---------------------------------------------------------|
| <b>eugenol</b><br>CAS No.: 97-53-0<br>EC No.: 202-589-1 | 6 mg/kg bw/<br>day | ① DNEL worker<br>② Long-term - dermal, systemic effects |

| Substance name                                                     | PNEC Value         | ① PNEC type                          |
|--------------------------------------------------------------------|--------------------|--------------------------------------|
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.4 µg/L           | ① PNEC aquatic, freshwater           |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.04 µg/L          | ① PNEC aquatic, marine water         |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 2.7 mg/L           | ① PNEC sewage treatment plant        |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.00065 mg/<br>kg  | ① PNEC sediment, freshwater          |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.000065 mg/<br>kg | ① PNEC sediment, marine water        |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 0.000321 mg/<br>kg | ① PNEC soil                          |
| <b>nicotine</b><br>CAS No.: 54-11-5<br>EC No.: 200-193-3           | 3 µg/L             | ① PNEC aquatic, intermittent release |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 1 mg/L             | ① PNEC aquatic, freshwater           |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 0.1 mg/L           | ① PNEC aquatic, marine water         |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 39 mg/L            | ① PNEC sewage treatment plant        |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 5.27 mg/kg         | ① PNEC sediment, freshwater          |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 0.527 mg/kg        | ① PNEC sediment, marine water        |
| <b>benzyl alcohol</b><br>CAS No.: 100-51-6<br>EC No.: 202-859-9    | 0.456 mg/kg        | ① PNEC soil, freshwater              |
| <b>menthyl acetate</b><br>CAS No.: 16409-45-3<br>EC No.: 240-459-6 | 0.003 mg/L         | ① PNEC aquatic, freshwater           |
| <b>menthyl acetate</b><br>CAS No.: 16409-45-3<br>EC No.: 240-459-6 | 0.0003 mg/L        | ① PNEC aquatic, marine water         |
| <b>menthyl acetate</b><br>CAS No.: 16409-45-3<br>EC No.: 240-459-6 | 0.262 mg/L         | ① PNEC sewage treatment plant        |
| <b>menthyl acetate</b><br>CAS No.: 16409-45-3<br>EC No.: 240-459-6 | 0.338 mg/kg        | ① PNEC sediment, freshwater          |
| <b>menthyl acetate</b><br>CAS No.: 16409-45-3<br>EC No.: 240-459-6 | 0.034 mg/kg        | ① PNEC sediment, marine water        |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 9/16

## VELO Blueberry Ice Original [•••] Slim

| Substance name                                                       | PNEC Value   | ① PNEC type                   |
|----------------------------------------------------------------------|--------------|-------------------------------|
| <b>menthyl acetate</b><br>CAS No.: 16409-45-3<br>EC No.: 240-459-6   | 0.066 mg/kg  | ① PNEC soil, freshwater       |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4 | 17.52 µg/L   | ① PNEC aquatic, freshwater    |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4 | 1.75 µg/L    | ① PNEC aquatic, marine water  |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4 | 80 mg/L      | ① PNEC sewage treatment plant |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4 | 1.882 mg/kg  | ① PNEC sediment, freshwater   |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4 | 0.188 mg/kg  | ① PNEC sediment, marine water |
| <b>gamma-undecalactone</b><br>CAS No.: 104-67-6<br>EC No.: 203-225-4 | 0.366 mg/kg  | ① PNEC soil, freshwater       |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4        | 0.002 mg/L   | ① PNEC aquatic, freshwater    |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4        | 0.0002 mg/L  | ① PNEC aquatic, marine water  |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4        | 7.59 mg/L    | ① PNEC sewage treatment plant |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4        | 0.022 mg/kg  | ① PNEC sediment, freshwater   |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4        | 0.0022 mg/kg | ① PNEC sediment, marine water |
| <b>benzaldehyde</b><br>CAS No.: 100-52-7<br>EC No.: 202-860-4        | 0.003 mg/kg  | ① PNEC soil, freshwater       |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1            | 0.011 mg/L   | ① PNEC aquatic, freshwater    |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1            | 0.001 mg/L   | ① PNEC aquatic, marine water  |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1            | 0.7 mg/L     | ① PNEC sewage treatment plant |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1            | 0.115 mg/kg  | ① PNEC sediment, freshwater   |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1            | 0.011 mg/kg  | ① PNEC sediment, marine water |
| <b>geraniol</b><br>CAS No.: 106-24-1<br>EC No.: 203-377-1            | 0.017 mg/kg  | ① PNEC soil, freshwater       |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025

Print date: 28 Nov 2025

Version: 2

Page 10/16

## VELO Blueberry Ice Original [•••] Slim

| Substance name                                                                                          | PNEC Value           | ① PNEC type                   |
|---------------------------------------------------------------------------------------------------------|----------------------|-------------------------------|
| <b>N-ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide</b><br>CAS No.: 39711-79-0<br>EC No.: 254-599-0 | 50 µg/L              | ① PNEC aquatic, freshwater    |
| <b>N-ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide</b><br>CAS No.: 39711-79-0<br>EC No.: 254-599-0 | 5 µg/L               | ① PNEC aquatic, marine water  |
| <b>N-ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide</b><br>CAS No.: 39711-79-0<br>EC No.: 254-599-0 | 3.45 mg/kg           | ① PNEC sediment, freshwater   |
| <b>N-ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide</b><br>CAS No.: 39711-79-0<br>EC No.: 254-599-0 | 0.345 mg/kg          | ① PNEC sediment, marine water |
| <b>N-ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide</b><br>CAS No.: 39711-79-0<br>EC No.: 254-599-0 | 0.66 mg/kg<br>bw/day | ① PNEC soil, freshwater       |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5                                  | 0.00169 mg/L         | ① PNEC aquatic, freshwater    |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5                                  | 0.00169 mg/L         | ① PNEC aquatic, marine water  |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5                                  | 0.171 mg/kg          | ① PNEC sediment, freshwater   |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5                                  | 0.171 mg/kg          | ① PNEC sediment, marine water |
| <b>2-benzylideneheptanal</b><br>CAS No.: 122-40-7<br>EC No.: 204-541-5                                  | 0.0332 mg/kg         | ① PNEC soil, freshwater       |

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

The exposure frequency, duration and number of exposed persons shall be minimised.

### 8.2.2. Personal protection equipment



#### Eye/face protection:

Eye glasses with side protection EN 166

#### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber). In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

#### Respiratory protection:

Usually no personal respiratory protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Half-face mask (EN 149 / EN 140-EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025  
**Print date:** 28 Nov 2025  
**Version:** 2

Page 11/16

**VELO Blueberry Ice Original [•••] Slim**

**8.2.3. Environmental exposure controls**

No data available

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**Appearance**

**Physical state:** solid **Form:** Powder  
**Colour:** white **Odour:** fruity  
**flammability:** No data available

**Safety relevant basis data**

| Parameter                               | Value             | ① Method<br>② Remark     |
|-----------------------------------------|-------------------|--------------------------|
| pH                                      | 8.8               | ② in aqueous solution 5% |
| Melting point                           | No data available |                          |
| Freezing point                          | No data available |                          |
| Initial boiling point and boiling range | No data available |                          |
| Evaporation rate                        | No data available |                          |
| Vapour pressure                         | No data available |                          |
| Density                                 | No data available |                          |
| Bulk density                            | No data available |                          |
| Water solubility                        | No data available |                          |

**particle characteristics:**

No data available

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

This material is considered to be non-reactive under normal use conditions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Avoid high temperatures or direct sunlight. Do not dry up the product.

**10.5. Incompatible materials**

Strong acid, Highly oxidising substances.

**10.6. Hazardous decomposition products**

Decomposition products in case of fire: see section 5.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025

Print date: 28 Nov 2025

Version: 2

Page 12/16

## VELO Blueberry Ice Original [•••] Slim

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                 |                  |                   |
|-----------------|------------------|-------------------|
| <b>nicotine</b> | CAS No.: 54-11-5 | EC No.: 200-193-3 |
|-----------------|------------------|-------------------|

|                                |         |
|--------------------------------|---------|
| <b>ATE (oral)<sup>1</sup>:</b> | 5 mg/kg |
|--------------------------------|---------|

|                                  |          |
|----------------------------------|----------|
| <b>ATE (dermal)<sup>1</sup>:</b> | 70 mg/kg |
|----------------------------------|----------|

|                                                 |           |
|-------------------------------------------------|-----------|
| <b>ATE (inhalation, dust/mist)<sup>1</sup>:</b> | 0.19 mg/L |
|-------------------------------------------------|-----------|

|                              |                |
|------------------------------|----------------|
| <b>LD<sub>50</sub> oral:</b> | =5 mg/kg (Rat) |
|------------------------------|----------------|

|                                |                    |
|--------------------------------|--------------------|
| <b>LD<sub>50</sub> dermal:</b> | =70 mg/kg (Rabbit) |
|--------------------------------|--------------------|

|                                                               |            |
|---------------------------------------------------------------|------------|
| <b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> | =0.19 mg/L |
|---------------------------------------------------------------|------------|

|                       |                   |                   |
|-----------------------|-------------------|-------------------|
| <b>benzyl alcohol</b> | CAS No.: 100-51-6 | EC No.: 202-859-9 |
|-----------------------|-------------------|-------------------|

|                              |             |
|------------------------------|-------------|
| <b>LD<sub>50</sub> oral:</b> | 1,200 mg/kg |
|------------------------------|-------------|

|                                |              |
|--------------------------------|--------------|
| <b>LD<sub>50</sub> dermal:</b> | >2,000 mg/kg |
|--------------------------------|--------------|

|                                                               |                     |
|---------------------------------------------------------------|---------------------|
| <b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> | 4.18 mg/L 4 h (Rat) |
|---------------------------------------------------------------|---------------------|

|                      |                   |                   |
|----------------------|-------------------|-------------------|
| <b>ethyl acetate</b> | CAS No.: 141-78-6 | EC No.: 205-500-4 |
|----------------------|-------------------|-------------------|

|                              |                    |
|------------------------------|--------------------|
| <b>LD<sub>50</sub> oral:</b> | =5,620 mg/kg (Rat) |
|------------------------------|--------------------|

|                                |                        |
|--------------------------------|------------------------|
| <b>LD<sub>50</sub> dermal:</b> | >18,000 mg/kg (Rabbit) |
|--------------------------------|------------------------|

|                                                            |                  |
|------------------------------------------------------------|------------------|
| <b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> | >22.5 mg/L (Rat) |
|------------------------------------------------------------|------------------|

|                          |                   |                   |
|--------------------------|-------------------|-------------------|
| <b>isopentyl acetate</b> | CAS No.: 123-92-2 | EC No.: 204-662-3 |
|--------------------------|-------------------|-------------------|

|                              |                     |
|------------------------------|---------------------|
| <b>LD<sub>50</sub> oral:</b> | =16,600 mg/kg (Rat) |
|------------------------------|---------------------|

|                                |                       |
|--------------------------------|-----------------------|
| <b>LD<sub>50</sub> dermal:</b> | >5,000 mg/kg (Rabbit) |
|--------------------------------|-----------------------|

<sup>1</sup>: Acute Toxicity Estimate. Harmonised (legal) classification.

#### Acute oral toxicity:

Harmful if swallowed.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Contains benzyl alcohol. May produce an allergic reaction.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

No data available

#### 11.2. Information on other hazards

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025

Print date: 28 Nov 2025

Version: 2

Page 13/16

## VELO Blueberry Ice Original [•••] Slim

### SECTION 12: Ecological information

#### 12.1. Toxicity

**nicotine** CAS No.: 54-11-5 EC No.: 200-193-3

**LC<sub>50</sub>**: 4 mg/L 4 d (fish, *Oncorhynchus mykiss* (Rainbow trout))

**EC<sub>50</sub>**: 11 mg/L 3 d (Algae/water plant)

**EC<sub>50</sub>**: 0.24 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea))

**benzyl alcohol** CAS No.: 100-51-6 EC No.: 202-859-9

**LC<sub>50</sub>**: 460 mg/L 4 d (fish, *Pimephales promelas* (fathead minnow))

**LC<sub>50</sub>**: 230 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 202

**NOEC**: 48.897 mg/L QSAR

**NOEC**: 51 mg/L 21 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 211

**NOEC**: 310 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata*) OECD 201

**ErC<sub>50</sub>**: 770 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata*) OECD 201

**ethyl acetate** CAS No.: 141-78-6 EC No.: 205-500-4

**LC<sub>50</sub>**: =212 mg/L 4 d

**LC<sub>50</sub>**: =154 mg/L 2 d

**EC<sub>50</sub>**: =2,500 mg/L 4 d

**NOEC**: =6.9 mg/L

**NOEC**: =2.4 mg/L 21 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 211

**NOEC**: >100 mg/L 3 d (Algae/water plant, *Desmodesmus subspicatus*) OECD 201

**isopentyl acetate** CAS No.: 123-92-2 EC No.: 204-662-3

**LC<sub>50</sub>**: >22 - <46 mg/L 4 d (fish, *Danio rerio* (zebrafish)) OECD 203

**EC<sub>50</sub>**: 42 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea)) DIN 38412 / part 11

**NOEC**: ≥100 mg/L 2 d (Algae/water plant, *Desmodesmus subspicatus*) OECD 201

**ErC<sub>50</sub>**: >100 mg/L 2 d (Algae/water plant, *Desmodesmus subspicatus*) OECD 201

#### 12.2. Persistence and degradability

**nicotine** CAS No.: 54-11-5 EC No.: 200-193-3

**Biodegradation**: Yes, rapidly

**benzyl alcohol** CAS No.: 100-51-6 EC No.: 202-859-9

**Biodegradation**: Yes, rapidly

**ethyl acetate** CAS No.: 141-78-6 EC No.: 205-500-4

**Biodegradation**: Yes, rapidly

**isopentyl acetate** CAS No.: 123-92-2 EC No.: 204-662-3

**Biodegradation**: Yes, rapidly

#### 12.3. Bioaccumulative potential

**nicotine** CAS No.: 54-11-5 EC No.: 200-193-3

**Log K<sub>OW</sub>**: 1.17

**benzyl alcohol** CAS No.: 100-51-6 EC No.: 202-859-9

**Log K<sub>OW</sub>**: 1.1

**Bioconcentration factor (BCF)**: 1.37

**ethyl acetate** CAS No.: 141-78-6 EC No.: 205-500-4

**Log K<sub>OW</sub>**: 0.73

**Bioconcentration factor (BCF)**: 30

**isopentyl acetate** CAS No.: 123-92-2 EC No.: 204-662-3

**Log K<sub>OW</sub>**: 2.7

**Bioconcentration factor (BCF)**: 28.1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Aug 2025

Print date: 28 Nov 2025

Version: 2

Page 14/16

## VELO Blueberry Ice Original [•••] Slim

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

|                                                                                                                     |                   |                   |
|---------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|
| <b>nicotine</b>                                                                                                     | CAS No.: 54-11-5  | EC No.: 200-193-3 |
| <b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |                   |                   |
| <b>benzyl alcohol</b>                                                                                               | CAS No.: 100-51-6 | EC No.: 202-859-9 |
| <b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |                   |                   |
| <b>ethyl acetate</b>                                                                                                | CAS No.: 141-78-6 | EC No.: 205-500-4 |
| <b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |                   |                   |
| <b>n-butyl acetate</b>                                                                                              | CAS No.: 123-86-4 | EC No.: 204-658-1 |
| <b>Results of PBT and vPvB assessment:</b> —                                                                        |                   |                   |
| <b>isopentyl acetate</b>                                                                                            | CAS No.: 123-92-2 | EC No.: 204-662-3 |
| <b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |                   |                   |

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Do not allow uncontrolled discharge of product into the environment.

#### Waste treatment options

##### Appropriate disposal / Product:

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate authorities about waste disposal.

##### Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

| Land transport (ADR/RID)                                   | Inland waterway craft (ADN)                                | Sea transport (IMDG)                                       | Air transport (ICAO-TI / IATA-DGR)                         |
|------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|
| <b>14.1. UN number or ID number</b>                        |                                                            |                                                            |                                                            |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.2. UN proper shipping name</b>                       |                                                            |                                                            |                                                            |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.3. Transport hazard class(es)</b>                    |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |
| <b>14.4. Packing group</b>                                 |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |
| <b>14.5. Environmental hazards</b>                         |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |
| <b>14.6. Special precautions for user</b>                  |                                                            |                                                            |                                                            |
| not relevant                                               | not relevant                                               | not relevant                                               | not relevant                                               |

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 15/16

## VELO Blueberry Ice Original [•••] Slim

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Other regulations (EU):

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (Text with EEA relevance)

EUROPEAN PARLIAMENT AND COUNCIL DIRECTIVE 94/62/EC of 20 December 1994 on packaging and packaging waste

##### 15.1.2. National regulations

No data available

#### 15.2. Chemical Safety Assessment

Chemical safety assessments are not required for mixtures.

### SECTION 16: Other information

#### 16.1. Indication of changes

No data available

#### 16.2. Abbreviations and acronyms

|                  |                                                                                                 |
|------------------|-------------------------------------------------------------------------------------------------|
| ACGIH            | American Conference of Governmental Industrial Hygienists                                       |
| ADN              | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR              | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| BCF              | Bioconcentration Factor                                                                         |
| CAS              | Chemical Abstracts Service                                                                      |
| CLP              | Classification, Labelling and Packaging                                                         |
| DIN              | German Institute for Standardization / German Industrial Standard                               |
| DNEL             | derived no-effect level                                                                         |
| EC <sub>50</sub> | Effective Concentration 50%                                                                     |
| ECHA             | European Chemicals Agency                                                                       |
| EN               | European Standard                                                                               |
| ES               | Exposure scenario                                                                               |
| HEPA             | High Efficiency Particulate Air                                                                 |
| ICAO             | International Civil Aviation Organization                                                       |
| IMDG             | International Maritime Dangerous Goods                                                          |
| IMO              | International Maritime Organization                                                             |
| ISO              | International Standards Organisation                                                            |
| LC <sub>50</sub> | Lethal (fatal) Concentration 50%                                                                |
| LD <sub>50</sub> | Lethal (fatal) Dose 50%                                                                         |
| MAK              | Maximum concentration in the workplace air (CH)                                                 |
| NFPA             | National Fire Protection Association                                                            |
| NIOSH            | National Institute for Occupational Safety & Health                                             |
| NOEC             | No Observed Effect Concentration                                                                |
| OECD             | Organisation for Economic Cooperation and Development                                           |
| OSHA             | Occupational Safety & Health Administration                                                     |
| PBT              | persistent and bioaccumulative and toxic                                                        |
| PNEC             | Predicted No Effect Concentration                                                               |
| QSAR             | Quantitative Structure-Activity Relationship                                                    |
| REACH            | Registration, Evaluation and Authorization of Chemicals                                         |
| RID              | Dangerous goods regulations for transport by rail                                               |
| TRGS             | Technische Regeln für Gefahrstoffe                                                              |
| UN               | United Nations                                                                                  |
| ZNS              | central nervous system                                                                          |

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 14 Aug 2025

**Print date:** 28 Nov 2025

**Version:** 2

Page 16/16

## VELO Blueberry Ice Original [•••] Slim

### 16.3. Key literature references and sources for data

European Chemicals Agency, <http://echa.europa.eu/>

Umweltbundesamt, <http://webigoletto.uba.de/rigoletto>

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories          | Hazard statements           | Classification procedure |
|-----------------------------------------------|-----------------------------|--------------------------|
| Acute toxicity (oral) ( <i>Acute Tox. 4</i> ) | H302: Harmful if swallowed. | Calculation method.      |

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements               |                                                       |
|---------------------------------|-------------------------------------------------------|
| H225                            | Highly flammable liquid and vapour.                   |
| H226                            | Flammable liquid and vapour.                          |
| H300                            | Fatal if swallowed.                                   |
| H302                            | Harmful if swallowed.                                 |
| H310                            | Fatal in contact with skin.                           |
| H317                            | May cause an allergic skin reaction.                  |
| H319                            | Causes serious eye irritation.                        |
| H330                            | Fatal if inhaled.                                     |
| H332                            | Harmful if inhaled.                                   |
| H336                            | May cause drowsiness or dizziness.                    |
| H411                            | Toxic to aquatic life with long lasting effects.      |
| Supplemental hazard information |                                                       |
| EUH066                          | Repeated exposure may cause skin dryness or cracking. |

### 16.6. Training advice

Make sure that employees are aware of the intoxication risk. People wearing breathing apparatus must be appropriately trained.

### 16.7. Additional information

No data available